

Available online at www.sciencedirect.com





Mathematics and Computers in Simulation 74 (2007) 302-311

www.elsevier.com/locate/matcom

## A linearly implicit conservative scheme for the coupled nonlinear Schrödinger equation

M.S. Ismail<sup>a,\*</sup>, Thiab R. Taha<sup>b</sup>

 <sup>a</sup> Department of Mathematics, College of Science, P.O. Box 80203, King Abdulaziz University, Jeddah 21589, Saudi Arabia
 <sup>b</sup> Department of Computer Science, University of Georgia, Athens, GA 30602-7404, USA

Available online 12 December 2006

## Abstract

The coupled nonlinear Schrödinger equation models several intersting physical phenomena. It presents a model equation for optical fiber with linear birefringence. In this paper, we present a linearly implicit conservative method to solve this equation. This method is second order accurate in space and time and conserves the energy exactly. Many numerical experiments have been conducted and have shown that this method is quite accurate and describe the interaction picture clearly. © 2006 IMACS. Published by Elsevier B.V. All rights reserved.

Keywords: Coupled nonlinear Shrödinger equation; Linearly implicit scheme; Finite difference method; Solitons

## 1. Introduction

The propagation of pulses with equal mean frequencies in birefringent nonlinear fiber is governed by the coupled nonlinear Schrödinger equation [3]:

$$i\frac{\partial\Psi_{1}}{\partial t} + \frac{\partial^{2}\Psi_{1}}{\partial x^{2}} + (|\Psi_{1}|^{2} + e|\Psi_{2}|^{2})\Psi_{1} = 0$$

$$i\frac{\partial\Psi_{2}}{\partial t} + \frac{\partial^{2}\Psi_{2}}{\partial x^{2}} + (e|\Psi_{1}|^{2} + |\Psi_{2}|^{2})\Psi_{2} = 0$$
(1)

where  $\Psi_1$  and  $\Psi_2$  are the wave amplitudes in two polarizations.

Following the discussion in [3], we derive the exact solution of the system in (1) which has the following form:

$$\Psi_j(x,t) = \sqrt{\frac{2\alpha}{1+e}} \operatorname{sech}(\sqrt{\alpha}(x-2vt)) \exp i\{vx - [v^2 - \alpha]t\}, \quad j = 1,2$$
<sup>(2)</sup>

where  $\alpha$  and v are arbitrary constants.

\* Corresponding author. Tel.: +966 50608949.

E-mail address: msismail@kau.edu.sa (M.S. Ismail).

<sup>0378-4754/\$32.00 © 2006</sup> IMACS. Published by Elsevier B.V. All rights reserved. doi:10.1016/j.matcom.2006.10.020